

# 3M™ Abrasives Single & Multi Packs

Now it's easier than ever for your customers to experience the power, performance and convenience of 3M abrasives. Check out our expanded line of 3M Abrasive Single Packs and Intro Pack assortments—featuring today's most advanced metalworking abrasives.

## 3M™ Abrasives for Right Angle Tools

Product	Contents	Packaging	UPC
 3M™ Cubitron™ II Flap Disc 967A, T27, 4.5 in.	1 Disc 4-½ in. x ⅞ in. Grade 40+	10/case	051125-86855-6
 3M™ Cubitron™ II Flap Disc 969F, T27, 4.5 in.	1 Disc 4-½ in. x ⅞-11 in. Grade 40+	10/case	051125-87258-4
 3M™ Cubitron™ II Fibre Disc 982C, 4.5 in.	1 Disc 4-½ in. x ⅞ in. Grade 36+	10/case	051125-86942-3
 3M™ Cubitron™ II Disc TN Quick Change 982C, 7 in.	1 Disc 7 in. Grade 36+	10/case	051125-87259-1
 3M™ Cubitron™ II Depressed Center Grinding Wheel T27, 4.5 in. - with hub	1 Disc 4-½ in. x ¼ in. x ⅞-11 in.	10/case	051125-87208-9
 3M™ Cubitron™ II Depressed Center Grinding Wheel T27, 4.5 in. - no hub	1 Disc 4-½ in. x ¼ in. x ⅞ in.	10/case	051125-87209-6
 3M™ Cubitron™ II Depressed Center Grinding Wheel T27, 7 in.	1 Disc 7 in. x ¼ in. x ⅞ in.	10/case	051125-87206-5
 3M™ Cubitron™ II Cut-Off Wheel T27, 4.5 in.	1 Disc 4-½ in. x .045 x ⅞ in. Grade 36	10/case	048011-64999-3
 3M™ Cubitron™ II Cut-Off Wheel T27, 6 in.	1 Disc 6 in. x .045 x ⅞ in. Grade 36	10/case	051125-87152-5
 3M™ Fibre Disc 782C, 4.5 in.	1 Disc 4-½ in. x ⅞ in. Grade 36+	10/case	051125-87254-6
 3M™ Fibre Disc 782C, 7 in.	1 Disc 7 in. x ⅞ in. Grade 36+	10/case	051125-87255-3
 3M™ Fibre Disc 787C, 4.5 in.	1 Disc 4-½ in. x ⅞ in. Grade 36+	10/case	051125-87256-0
 3M™ Fibre Disc 787C, 7 in.	1 Disc 7 in. x ⅞ in. Grade 36+	10/case	051125-87257-7
 3M™ Flap Disc 769F	1 Disc 4-½ in. x ⅞ in. Grade 40+	10/case	638060-29883-1
 Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc, TR+	1 Disc 4 in. x ⅞ in. A Extra Coarse	10/case	638060-29917-3
 Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc TR+	1 Disc 4 in. x ⅞ in. S Extra Coarse	10/case	638060-29911-1
 Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc, Type 27 QC	1 Disc 4-½ in. x ⅞-11 in. A Extra Coarse	10/case	638060-29901-2

Product	Contents	Packaging	UPC
 Scotch-Brite™ Clean and Strip XT Pro Disc, Type 27 QC	1 Disc 4-½ in. x ⅞-11 in. S Extra Coarse	10/case	638060-29900-5
 Scotch-Brite™ Light Grinding & Blending Disc TN QC, 4.5 in.	1 Disc 4-½ in. x NH A Coarse	10/case	048011-65000-5
 Scotch-Brite™ Light Grinding & Blending Disc TN QC, 7 in.	1 Disc 7 in. x NH Super Duty A Coarse	10/case	076308-77124-9
 3M™ Silver Cut-Off Wheel, T27, 6 in.	1 Disc 6 in. x .045 x ⅞ in.	10/case	076308-44539-3
 3M™ Silver Cut-Off Wheel, T27, 4.5 in.	1 Disc 4-½ in. x .045 in. x ⅞ in.	10/case	051125-87660-5
 3M™ Silver Depressed Center Grinding Wheel T27 with Quick Change Hub, 4.5 in.	1 Disc 4-½ in. x ¼ x ⅞-11 in.	10/case	051125-87661-2
 3M™ Silver Depressed Center Grinding Wheel, T27, 4.5 in.	1 Disc 4-½ in. x ¼ in. x ⅞ in.	10/case	076308-44538-6
 3M™ Cut & Grind Wheel, T27 with Quick Change Hub, 4.5 in.	1 Disc 4-½ in. x ⅞ in. x ⅞-11 in.	10/case	638060-75819-9

## 3M™ Cubitron™ II and Scotch-Brite™ Abrasive Belts



Product	Contents	Packaging	UPC
 3M™ Cubitron™ II File Belt Kits, 947A and 984F	5 Belts ½ in. x 18 in. • 3M™ Cubitron™ II Belts 947A (1 of each grade: 60+, 80+, 120+) • 3M™ Cubitron™ II Belts 984F (1 of each grade: 36+, 50+)	25/case	051125-87149-5
 Scotch-Brite™ Durable Flex Surface Conditioning Belt Multi Pack	3 Belts ½ in. x 18 in. Grade: A CRS	10/case	076308-77158-4
 Scotch-Brite™ Durable Flex Surface Conditioning Belt Multi Pack	3 Belts ½ in. x 18 in. Grade: A MED	10/case	076308-77157-7
 Scotch-Brite™ Durable Flex Surface Conditioning Belt Multi Pack	3 Belts ½ in. x 18 in. Grade: A FIN	10/case	076308-77154-6

## Scotch-Brite™ Abrasive Hand Pads

Product	Contents	Packaging	UPC
 Scotch-Brite™ PRO Hand Pads 7447/7448	1 each 7447 PRO 1 each 7448 PRO 6 x 9 in.	20/case	048011-64933-7

### 3M™ Roloc™ Multi and Intro Packs

Product	Contents	Packaging	UPC
 Scotch-Brite™ Roloc™ AL Surface Conditioning TR Disc, 3 in.	3 in. x NH 2 of each grade: A CRS, A MED, A VFN	10/case	076308-77153-9
 Scotch-Brite™ Roloc™ AL Surface Conditioning TR Disc, 2 in.	2 in. x NH 2 of each grade: A CRS, A MED, A VFN	10/case	076308-77152-2
 3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 2 in.	2 in. 2 of each grade: 36+, 60+, 80+	5/case	051125-86889-1
 3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 3 in.	3 in. 2 of each grade: 36+, 60+, 80+	5/case	051125-86890-7
 3M™ Cubitron™ II Roloc™ Fibre Disc 987C, 2 in.	2 in. 2 of each grade: 36+, 60+, 80+	5/case	051125-86891-4
 3M™ Cubitron™ II Roloc™ Fibre Disc 987C, 3 in.	3 in. 2 of each grade: 36+, 60+, 80+	5/case	051125-86892-1
 3M™ Cubitron™ II Roloc™ Durable Edge Discs 947A, 2 in.	2 in. 2 of each grade: 40+, 60+, 80+, 120+ 1 each - 3M™ Roloc™ 2 in. Disc Pad TR, hard, 1/4-20 in. Internal	5/case	051125-87184-6
 3M™ Cubitron™ II Roloc™ Durable Edge Discs 947A, 3 in.	3 in. 2 of each grade: 40+, 60+, 80+, 120+ 1 each - 3M™ Roloc™ 3 in. Disc Pad TR, hard, 1/4-20 in. Internal	5/case	051125-87185-3

Product	Contents	Packaging	UPC
 3M™ Roloc™ Disc TR 9815S 1-½ in.	<ul style="list-style-type: none"> <li>3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F (3 of each grade: 36+, 60+, 80+)</li> <li>Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>Scotch-Brite™ Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>3M™ Roloc™ Disc Pad TR (Hard) 3M™ Roloc™ Shank (1 of each)</li> </ul>	5/case	051144-82901-9
 3M™ Roloc™ Disc Pack 982S 2 in.	<ul style="list-style-type: none"> <li>3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F (3 of each grade: 36+, 60+, 80+)</li> <li>Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>Scotch-Brite™ Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>3M™ Roloc™ Disc Pad TR (Hard); 3M™ Roloc™ Shank (1 of each)</li> </ul>	5/case	051144-82899-9
 3M™ Roloc™ Disc Pack 983S 3 in.	<ul style="list-style-type: none"> <li>3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F (3 of each grade: 36+, 60+, 80+)</li> <li>Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>Scotch-Brite™ Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>3M™ Roloc™ Disc Pad TR (Hard); 3M™ Roloc™ Shank (1 of each)</li> </ul>	5/case	051144-82900-2

## Roloc™ Intro Packs (continued)

Product	Contents	Packaging	UPC
 <b>3M™ Roloc™ Disc Pack 985S</b> 2 in. and 3 in.	<ul style="list-style-type: none"> <li>• 2 in. Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>• 3 in. Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>• 2 in. Scotch-Brite™ Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>• 3 in. Scotch-Brite Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>• 3M™ Roloc™ Disc Pad 2 in. and 3 in. (Hard); 3M™ Roloc™ Shank (1 of each)</li> </ul>	5/case	048011-18254-4
 <b>3M™ Roloc™ Disc Pack 984S</b> 4 in.	<ul style="list-style-type: none"> <li>• 3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F (3 of each grade: 36+, 60+, 80+)</li> <li>• Scotch-Brite™ Roloc™ SC Surface Conditioning Disc (2 of each grade: A VFN, A MED, A CRS)</li> <li>• Scotch-Brite™ Roloc™ Light Grinding and Blending Disc (2 of each grade: SD A CRS)</li> <li>• 3M™ Roloc™ Disc Pad TR (Extra Hard); 3M™ Spacer PN 28636 (1 of each)</li> </ul>	5/case	051141-28039-4
 <b>Scotch-Brite™ Roloc™ Unitized Wheel Pack 988S</b> 3 in.	<p>6 Discs 3 in.</p> <ul style="list-style-type: none"> <li>* 1 of each grade: 2A MED, 2S FIN, 6A MED, 6S FIN, 8A MED, 8A CRS</li> <li>* 3M™ Roloc™ Holder</li> </ul>	5/case	048011-17182-1

## Orbital Sanding Discs

Product	Contents	Packaging	UPC
 <b>3M™ Hookit™ Clean Sanding Film Discs 375L</b> 5 in.	10 Discs 5 in. × NH 2 of each grade: P80, P120, P180, P220, P320	20/case	051125-87341-3
 <b>3M™ Stikit™ Film Discs w/Tab 375L</b> 5 in. × NH	10 Discs 5 in. × NH 2 each of grade: P80, P120, P180, P220, P320	20/case	051125-87340-6
 <b>3M™ Cubitron™ II Stikit™ Film Discs 775L</b> 5 in.	15 Discs 5 in. 3 each of grade: 80+, 120+, 150+, 180+, 220+	20/case	051125-87337-6
 <b>3M™ Cubitron™ II Hookit™ Clean Sanding Film Discs 775L</b> 5 in.	15 Discs 5 in. 3 each of grade: 80+, 120+, 150+, 180+, 220+	20/case	051125-87338-3
 <b>3M™ Cubitron™ II Hookit™ Cloth Discs 947A</b> 5 in.	8 Discs 5 in. 2 each of grade: 40+, 60+, 80+, 120+	20/case	051125-87342-0
 <b>3M™ Cubitron™ Hookit™ Clean Sanding Film Discs, 775L</b>	15 Discs 5 in. 5 each of grade: Grade 240+, 320+, 400+	15/pack	051125-87435-9
 <b>3M™ Cubitron™ Stikit™ Film Disc, 775L</b>	1 Disc 5 in. Grade 240+, 320+, 400+	15/pack	051125-87430-4
 <b>3M™ Finesse-it™ Refining Disc Trial Pack 3000</b>	Pack includes: 1 Disc 6 in., 1 Disc 5 in., 2 Discs 3 in.	20/case	048011-64981-8

**Product Selection and Use:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

**Warranty, Limited Remedy, and Disclaimer:** Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

**Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

